AMENDMENTS TO THE CLAIMS

1	1.	(Currently Amended) A sand screen for use in production of hydrocarbons from	
2	wells, comprising an intelligent completions device disposed in the sand screen,		
3		wherein the intelligent completions device comprises a sensor selected from the	
4	group consist	ing of a temperature sensor, a flow rate measurement device, a scale detector, and a	
5	sand detection device.		
1	2.	(Cancelled)	
1	3.	(Currently Amended) The sand screen of claim 1, wherein the intelligent	
2	completions of	levice comprises [[a]] the temperature sensor.	
1	4.	(Cancelled)	
1	5.	(Currently Amended) The sand screen of claim 1, wherein the intelligent	
2	completions device comprises [[a]] the flow rate measurement device.		
1	6.	(Cancelled)	
1	7.	(Currently Amended) The sand screen of claim 1, wherein the intelligent	
2	completions of	levice comprises [[a]] the scale detector.	
1	8.	(Currently Amended) The sand screen of claim 1, wherein the intelligent	
2	completions device comprises [[a]] the sand detection device.		

Appl. No.: 10/078,612 Amdt. dated February 6, 2004 Reply to Office Action of January 2, 2004

1	9.	(Currently Amended) A gravel pack system, comprising:
2		a sand screen; and
3		an intelligent completions device disposed within the sand screen, wherein the
4	intelligent co	mpletions device comprises a sensor selected from the group consisting of a
5	temperature s	sensor, a flow rate measurement device, a scale detector, and a sand detection
6	device.	
1	10.	(Currently Amended) The gravel pack system of claim 9, wherein the intelligent
2	completions	device comprises a sensor the flow rate measurement device.
1	11.	(Currently Amended) The gravel pack system of claim 9, wherein the intelligent
· 2	completions	device comprises [[a]] the temperature sensor.
1	12.	(Currently Amended) The gravel pack system of claim 9, wherein the intelligent
2	completions	device comprises a pressure sensor the scale detector.
1	13.	(Currently Amended) The gravel pack system of claim 9, wherein the intelligent
2	completions	device is selected from a flow rate measurement device, an oil/water/gas ratio
3	measuremen	t device, a scale detector, and a comprises the sand detection device.
. 1	14.	(Previously Presented) A gravel pack system comprising:
2		a sand screen;
3		an intelligent completions device disposed within the sand screen; and
4		a fiber optic cable.
1	15.	(Original) The gravel pack system of claim 9, further comprising a control line
2	connected to the intelligent completions device.	

Appl. No.: 10/078,612 Amdt. dated February 6, 2004

Reply to Office Action of January 2, 2004

1	16.	(Original) The gravel pack system of claim 15, wherein the control line is selected
2	from an elect	ric line and a fiber optic line.
1	17.	(Original) The gravel pack system of claim 9, further comprising a control line
2	extending from the surface to the intelligent completions device.	
1	18.	(Currently Amended) A method for placing a gravel pack around a completion,
2	comprising:	
3		gathering data from an intelligent completions device disposed in a sand screen of
4	the completic	on, the intelligent completions device selected from the group consisting of a
5	temperature sensor, a flow rate measurement device, a scale detector, and a sand detection	
6	device; and	
7		flowing a gravel slurry into the assembly wherein a gravel is deposited between
8	the sand screen and a formation.	
1	19.	(Cancelled)
1	20.	(Currently Amended) A method of monitoring a well characteristic of a well,
2	comprising:	
3		running a control line to an intelligent completions device disposed in a sand
4	screen, the in	telligent completions device selected from the group consisting of a temperature
.5	sensor, a flow	v rate measurement device, a scale detector, and a sand detection device;
6		running the sand screen into the well; and
7		sending a signal through the control line.
1	21.	(Cancelled)

1	22.	(Cancelled)
1	23.	(Cancelled)
1	24.	(Original) A method for gravel packing a well, comprising:
2		running a sand screen into a particular length of the well;
3		extending a fiber optic line into the particular length of the well; and
4		gravel packing the well.
1	25.	(Original) The method of claim 24, further comprising performing the running
2	step at substantially the same time as the extending step.	
1	26.	(Original) The method of claim 24, further comprising performing the running
2	step before th	e extending step.
1	27.	(Currently Amended) A well completion, comprising:
2		a sand screen;
3		an intelligent device disposed within the sand screen, the intelligent device
4	selected from	the group consisting of a temperature sensor, a flow rate measurement device, a
5	scale detector	, a sand detection device, and a flow control device; and
6		a service string adapted to perform sand-control pumping and circulation
.7	operations.	
1	28.	(Previously Presented) The gravel pack system of claim 9, further comprising an
2	assembly to perform a gravel pack operation.	

Appl. No.: 10/078,612 Amdt. dated February 6, 2004 Reply to Office Action of January 2, 2004

l	29.	(Previously Presented) The method of claim 20, further comprising performing
2	sand-control p	numping and circulation operations.
1	30.	(New) A sand screen for use in production of hydrocarbons from wells,
2	comprising ar	intelligent completions device disposed in the sand screen,
3		wherein the intelligent completions device comprises a device selected from the
4	group consist	ing of a temperature sensor, a flow rate measurement device, a scale detector, a
5	sand detection	n device, and a flow control device.
l	31.	(New) A gravel pack system, comprising:
2		a sand screen; and
3		an intelligent completions device disposed within the sand screen, wherein the
4	intelligent cor	mpletions device comprises a sensor selected from the group consisting of a
5	temperature sensor, a flow rate measurement device, a scale detector, a sand detection device,	
5	and a flow co	ntrol device
1	32.	(New) A method of monitoring a well characteristic of a well, comprising:
2		running a control line to an intelligent completions device disposed in a sand
3	screen, the int	telligent completions device selected from the group consisting of a temperature
4	sensor, a flow	rate measurement device, a scale detector, a sand detection device, and a flow
5	control device	e;
5		running the sand screen into the well; and
7		sending a signal through the control line.